



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/506,795	02/18/2000	Alain Bethune	05725.0533-00000	8040

22852 7590 12/12/2002

FINNEGAN, HENDERSON, FARABOW, GARRETT &
DUNNER LLP
1300 I STREET, NW
WASHINGTON, DC 20006

EXAMINER

KOCH, GEORGE R

ART UNIT	PAPER NUMBER
----------	--------------

1734

DATE MAILED: 12/12/2002

14

Please find below and/or attached an Office communication concerning this application or proceeding.

#5-14

Office Action Summary

Application No.

09/506,795

Applicant(s)

BETHUNE ET AL.

Examiner

George R. Koch III

Art Unit

1734

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 September 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 and 28-76 is/are pending in the application.
- 4a) Of the above claim(s) 7, 11, 13, 15, 17-19, 36-72, 74 and 75 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-10, 12, 14, 16, 20-26, 28-35, 73 and 76 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 13.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 1-5, 8-10, 12, 14, 21, 28, 73 and 76 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schafer (DE 2212995) in view of Stocq (US 6,306,475 B1). Schafer discloses a method of applying pieces of material to objects comprising: providing a material supply strip initially including a backing having first and second opposing surfaces and pieces of material removably arranged on both of the first and second surfaces and at least one applicator device, applying at least one piece of material from the first surface of the backing to at least one object with said at least one applicator device, and applying at least one piece of material from the second surface of the backing to at least one object with said at least one applicator device (See Figs. 3-4, Page 18, lines 10-12, Page 20, 2nd paragraph).

Schafer does not disclose that the backing and the pieces of material are being formed of substantially the same material.

Stocq discloses that it is known in the formation of labels to utilize the same material for the backing and the pieces of material (i.e., the labels - see column 3, lines 53-56). Furthermore, Stocq discloses that the materials can comprise polypropylene and polyethylene. One in the art would appreciate Schafer, which is silent as to the

Art Unit: 1734

materials used is intended to be used with any conventional and known piece and backing system, including one wherein the materials are the same, as shown in Stocq. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized a backing and pieces of material made from the same material as is conventionally known and shown in Stocq.

Regarding claim 2, the at least one applicator device includes at least one application station configured to apply pieces of material to objects, and wherein the applying of said at least one piece of material from the first surface and applying from the second surface includes passing the supply strip through the at least one application station.

Regarding claim 3, the at least one application station includes first and second application stations, and wherein the applying from the first surface includes passing the supply strip through the first application station, and the applying from the second surface includes passing the supply strip through the second application station.

Regarding claim 4, the supply strip is passed through the second application station after the supply strip is passed through the first application station.

Regarding claim 5, the at least one applicator device includes first and second sections, wherein the first surface being oriented to face the first section and the second surface being oriented to face the second section when the supply strip is passed through the first application station, the method further comprises re-orienting the supply strip so that the second surface faces the first section and the first surface faces the

second section when the supply strip is being passed through the second application station (See Fig. 4).

Regarding claim 8, the method further comprises winding the supply strip into a roll on a spool after at least one of the applying from the first surface and applying from the second surface.

Regarding claim 9, the supply strip is initially in the form of a roll on a spool, wherein the method further comprises feeding the supply strip from the spool.

Regarding claim 10, the method further comprises winding the supply strip into a roll on a second spool after at least one of the applying from the first surface and applying from the second surface.

Regarding claim 12, the supply strip is initially in the form of a roll on a first spool, the method further comprises: feeding the roll of supply strip from the first spool to the first application station, and winding the supply strip into a roll on a second spool after the supply strip is passed through the second application station.

Regarding claim 14, wherein at least one piece of material from the first surface and at least one piece of material from the second surface are applied to a group of common objects.

Regarding claim 21, the pieces of material are labels.

Regarding claim 28, Stocq discloses using polyethylene.

Regarding claim 73, the first applicator device is used for applying at least one piece of material from the first surface and the second applicator device is used for applying at least one piece of material from the second surface.

Regarding claim 76, Schafer further discloses the additional limitation that the pieces of material on the first surface are positioned on the backing substantially opposite to corresponding pieces of material on the second surface such that outer edges of the opposing pieces of material do not line up with each other (see Figures).

3. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schafer and Stocq as applied to claim 5 above, and further in view of Moncrieff Baldwin et al. (USPN 5,143,466 and henceforth referred to as Baldwin). Schafer discloses re-orienting the supply strip between application stations. Schafer is silent to twisting. One in the art would appreciate twisting the supply strip to reposition the second surface. It is known and conventional to twist a strip approximately 180 degrees to reposition the second surface of said strip as shown, for example, by Baldwin (See Fig. 1, items 34, 61, 62, 51 and Col. 4, lines 27-32). It would have been obvious to one of ordinary skill in the art at the time of the invention to twist the supply strip of Schafer to reposition the second surface as shown by Baldwin in order to simplify the conveying system of Schafer to resemble that of a straight line, therefore eliminating the need for guide rollers that alter the direction of the conveyance path of the supply strip.

4. Claims 16, 20 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schafer and Stocq as applied to claims 1 and 14 above, and further in view of Wochner (USPN 3,861,986). Schafer may be silent to the types of material on the supply strip. One in the art would appreciate pieces of material that are different may

Art Unit: 1734

be supplied. It is well known and conventional to provide a supply strip having different pieces of material as shown, for example, by Wochner (See Col. 1, lines 55-62). It would have been obvious to one of ordinary skill in the art at the time of the invention to provide pieces of material on the first surface different from pieces of material on the second surface as applying different pieces of material to objects is well known and conventional as shown by Wochner.

Regarding claim 34, bottles as the objects are disclosed (See Wochner, Col. 1, lines 5-10).

5. Claims 22, 24-26, 29-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schafer and Stocq as applied to claims 1 and 21 above, and further in view of Brandt et al. (USPN 6,379,761). Schafer may be silent to the particular properties of the supply strip, backing and labels. One in the art would appreciate such properties are well known and conventional for supply strips that provide labels to objects. It is well known and conventional to provide a supply strip with such properties as shown, for example, by Brandt et al. (See Col. 3, lines 2-4, 44-46, Col. 5, lines 10-16, Col. 6, lines 61-63, Col. 8, lines 36-37). It would have been obvious to one of ordinary skill in the art at the time of the invention to provide such a supply strip, backing and labels with properties as those disclosed by Brandt et al. as they are well known and conventional properties of such and also to provide labels that can be easily and economically removed and re-applied (See Col. 2, lines 9-14).

Further regarding claim 33, the adhesive that removably adheres the pieces of material in Brandt et al. is considered to fall within the range of thickness as claimed. One in the art would appreciate the thickness of the adhesive of Brandt et al. as depicted is thinner than the backing (See Fig. 1, items 1 and 2).

6. Claims 23 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schafer and Stocq as applied to claim 21 and above, and further in view of Amano et al. (USPN 5,376,417). Schafer may be silent to the particular material of the labels. One in the art would appreciate choosing any conventional label as is known in the art. Amano et al. disclose conventional labels made of PET (polyethylene terephthalate) (See Col. 1, lines 30-31). It would have been obvious to one of ordinary skill in the art at the time of the invention to choose PET as the material for the label as is well known and conventionally used for labels that are applied to objects.

Further regarding claim 35, PET is known to be transparent. One of ordinary skill in the art would appreciate conventional labels may be transparent and that PET labels may be transparent.

7. Claim 28 is alternatively rejected under 35 U.S.C. 103(a) as being unpatentable over Schafer and Stocq as applied to claim 1 above, and further in view of Brandt et al. and Hirose. Schafer may be silent to the particular material used for the backing. Brandt et al. disclose conventional backings may be formed from many different polymer substrates, and cite examples such as polypropylene and polyester (See Col.

Art Unit: 1734

10, lines 4-8). Brandt et al. is silent to PET. One in the art would appreciate PET is included in the discussion by Brandt et al. and is a conventional polymer substrate used as a backing. Hirose et al. disclose polyesters and polypropylene may be used as backings, and provides a specific example to PET (See Col. 3, lines 55-65 and Col. 6, lines 40-42). One in the art would appreciate such materials are well known and conventional alternatives. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide a PET backing as is a well known and conventional material used for supply strips as shown by Brandt et al. and supported by Hirose et al.

Response to Arguments

8. Applicant's arguments with respect to claims 1-6, 8-10, 12, 14, 16, 20-26, 28-35, 73 and 76 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Koch III whose telephone number is (703) 305-3435 (TDD only). If the applicant cannot make a direct TDD-to-TDD call, the applicant can communicate by calling the Federal Relay Service at 1-800-877-8339 and giving the operator the above TDD number. The examiner can normally be reached on M-Th 10-7.


Art Unit: 1734

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (703) 308-3853. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-7718 for regular communications and (703) 305-3599 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.



George R. Koch III
December 9, 2002



RICHARD CRISPINO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700